



# SAFETY DATA SHEET

WHMIS 2015 • OSHA HCS (29 CFR 1910.1200) • NOM-018-STPS-2015

## 1. SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

<b>1.1 Product identifier</b>	
Product Name	<b>Silstab 2400</b>
Product code	2700
Chemical Name	Mixture
CAS No.	68937-55-3 / 127087-87-0
<b>1.2 Recommended use of the chemical and restrictions on use</b>	
Identified use(s)	Foaming or blowing agent Foam
Uses advised against	None known
<b>1.3 Details of the supplier of the Safety Data Sheet</b>	
Company Identification	Siltech Corp 225 Wicksteed Ave Toronto, ON Canada M4H 1G5
Telephone	+1-416-424-4567
Fax	+1-416-424-3158
E-Mail (competent person)	marsha.carter@siltech.com
Additional Location	Siltech Corp 3265 Wolfedale Road, Mississauga ON Canada L5C 1V8
Telephone	+1-905-270-5534
Fax	+1-905-270-5816
<b>1.4 Emergency telephone number</b>	
Emergency Phone No.	<b>CANUTEC - TELEPHONE: EMERGENCY USE ONLY</b> <b>+1-613-996-6666</b>

## 2. SECTION 2: HAZARDS IDENTIFICATION

<b>2.1 Classification of the substance or mixture</b>	
	<b>Acute Tox. 4 - Oral</b> <b>Acute Tox. 4 - Inhalation</b> <b>Skin Irrit. 2</b> <b>Aquatic Acute 1</b> <b>Aquatic Chronic 1</b>
<b>2.2 Label elements</b>	
Product Name	<b>Silstab 2400</b>
Symbol	
Signal word(s)	<b>DANGER</b>
Hazard statement(s)	H302+H332: Harmful if swallowed or if inhaled H315: Causes skin irritation. H318: Causes serious eye damage. H400: Very toxic to aquatic life. H410: Very toxic to aquatic life with long lasting effects. P261: Avoid breathing dust/fume/gas/mist/vapours/spray. P264: Wash hands and exposed skin thoroughly after handling. P270: Do not eat, drink or smoke when using this product. P271: Use only outdoors or in a well-ventilated area. P273: Avoid release to the environment. P280: Wear protective gloves/protective clothing/eye protection/face protection.
Precautionary statement(s)	

P301+P312: IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.  
P302+P352: IF ON SKIN: Wash with plenty of water.  
P332+P313: If skin irritation occurs: Get medical advice/attention.  
P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.  
P304+P312: IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell.  
P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.  
P403+P233: Store in a well-ventilated place. Keep container tightly closed.  
P501: Dispose of contents/container to: Observe Local Regulations.  
None known

**2.3 Other hazards**

**3. SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS**

**3.1 Mixtures**

Hazardous ingredient(s)	Synonym(s)	%W/W	CAS No.	EC No.	Hazard pictogram(s) and Hazard statement(s)
Poly(oxy-1,2-ethanediyl), .alpha.-(4-nonylphenyl)-.omega.-hydroxy-, branched	Polyethylene glycol mono (branched p-nonylphenyl) ether	45 - 55	127087-87-0	932-098-4	GHS05, GHS07, GHS09 H302, H332, H315, H318, H400, H410
Poly(oxy-1,2-ethanediyl), α-(dinonylphenyl)-ω-hydroxy-	Dinonylphenyl polyoxyethylene >14 EO	0.5 – 2.5	9014-93-1	618-488-4	GHS07 : H319

**4. SECTION 4: FIRST AID MEASURES**



**4.1 Description of first aid measures**

Inhalation	IF INHALED: If breathing is difficult, remove victim to fresh air and keep at rest in a position comfortable for breathing. Call a POISON CENTER or doctor/physician if you feel unwell.
Skin Contact	IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If irritation develops and persists, get medical attention.
Eye Contact	If substance has got into the eyes, immediately wash out with plenty of water for several minutes. Get medical attention immediately.
Ingestion	If swallowed, seek medical advice immediately and show this container or label. Do NOT induce vomiting.
<b>4.2 Most important symptoms and effects, both acute and delayed</b>	Causes skin irritation. Causes serious eye damage. Harmful by inhalation and if swallowed.
<b>4.3 Indication of any immediate medical attention and special treatment needed</b>	Treat symptomatically.

**5. SECTION 5: FIRE-FIGHTING MEASURES**

**5.1 Extinguishing Media**

Suitable Extinguishing Media In case of fire, use water spray, foam, dry powder or CO2

- Unsuitable Extinguishing Media
- 5.2 **Special hazards arising from the substance or mixture** for extinction. Keep containers cool by spraying with water if exposed to fire.  
Do not use water jet.
- 5.3 **Advice for fire-fighters** Silicon Dioxide, carbon oxides, incompletely burned carbon compounds, formaldehyde.  
A self contained breathing apparatus and suitable protective clothing should be worn in fire conditions.

## 6. SECTION 6: ACCIDENTAL RELEASE MEASURES

- 6.1 **Personal precautions, protective equipment and emergency procedures** Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.
- 6.2 **Environmental precautions** Avoid release to the environment.
- 6.3 **Methods and material for containment and cleaning up** Caution - spillages may be slippery. Cover spills with inert absorbent material. Transfer to a container for disposal.
- 6.4 **Reference to other sections** See Section: 7 & 8.




## 7. SECTION 7: HANDLING AND STORAGE

- 7.1 **Precautions for safe handling** Avoid contact with skin and eyes. Avoid ingestion. Use only with sufficient ventilation. Wash thoroughly after handling. General hygiene measures for the handling of chemicals are applicable.
- 7.2 **Conditions for safe storage, including any incompatibilities** Store in a tightly closed container.
- Storage Temperature: Ambient
- Storage Life: Stable under normal conditions.
- Incompatible materials: Oxidizing agents
- 7.3 **Specific end use(s)** Industrial use

## 8. SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

- 8.1 **Control parameters**
- 8.1.1 **Occupational Exposure Limits**

SUBSTANCE	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m <sup>3</sup> )	STEL (ppm)	STEL (mg/m <sup>3</sup> )	Note
None assigned						

- 8.1.2 **Biological limit value** Not established
- 8.1.3 **PNECs and DNELs** Not established
- 8.2 **Exposure controls**
- 8.2.1 **Appropriate engineering controls** Ensure adequate ventilation to remove vapours, fumes, dust etc.
- 8.2.2 **Personal protection equipment**
- Eye/face protection  Wear protective eyewear (goggles, face shield, or safety glasses).
- Skin protection (Hand protection/ Other)  Wear suitable protective clothing and gloves.  
Impervious gloves (EN 374).
- Respiratory protection  Wear suitable respiratory protective equipment if processing involves working in areas where dusts or vapours are likely to be evolved.

Thermal hazards	None.
<b>8.2.3 Environmental Exposure Controls</b>	Avoid release to the environment.

## 9. SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1 Information on basic physical and chemical properties

Appearance	Colourless to yellowish liquid.
Odour	Perceptible odour.
Odour Threshold	Not available.
pH	Not available.
Melting Point/Freezing Point	Not available.
Initial boiling point and boiling range	>100°C @ 760mmHg
Flash point (PMCC)	>100°C
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or explosive limits	Not available.
Vapour pressure	Not available.
Vapour density	Not available.
Relative density / Specific Gravity (25°C)	1.06
Solubility(ies)	Soluble in water.
Partition coefficient: n-octanol/water	Not available.
Auto-ignition temperature	Not available.
Decomposition Temperature	Not available.
Viscosity (25°C)	400 – 800 cps
Explosive properties	Not applicable.
Oxidising properties	Not applicable.

## 10. SECTION 10: STABILITY AND REACTIVITY

<b>10.1 Reactivity</b>	Stable under normal conditions.
<b>10.2 Chemical stability</b>	Stable under normal conditions.
<b>10.3 Possibility of hazardous reactions</b>	Will not occur.
<b>10.4 Conditions to avoid</b>	None known.
<b>10.5 Incompatible materials</b>	Oxidizing agents.
<b>10.6 Hazardous Decomposition Product(s)</b>	Silicon Dioxide, carbon oxides, incompletely burned carbon compounds, formaldehyde.

## 11. SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1 Information on toxicological effects

#### Acute toxicity

Ingestion	Harmful if swallowed.
Inhalation	Harmful if inhaled.
Skin Contact	Causes skin irritation.
Eye Contact	Causes serious eye damage.

#### Effects and Symptoms

<b>skin corrosion/irritation</b>	Causes skin irritation.
<b>Serious eye damage/irritation</b>	Causes serious eye damage.
<b>Respiratory or skin sensitization</b>	Not classified.
<b>Germ cell mutagenicity</b>	Not classified.
<b>Carcinogenicity</b>	Not classified.
<b>Reproductive toxicity</b>	Not classified.
<b>STOT - single exposure</b>	Not classified.
<b>STOT - repeated exposure</b>	Not classified.
<b>Aspiration hazard</b>	Not classified.
<b>Delayed and chronic effects</b>	Not available
<b>Calculated acute toxicity estimate (ATE)</b>	Not available

## 12. SECTION 12: ECOLOGICAL INFORMATION

12.1	<b>Toxicity</b>	Very toxic to aquatic life with long lasting effects.
12.2	<b>Persistence and degradability</b>	Not available.
12.3	<b>Bioaccumulative potential</b>	Not available.
12.4	<b>Mobility in soil</b>	Not available.
12.5	<b>Results of PBT and VPVB assessment</b>	Not available.
12.6	<b>Other adverse effects</b>	None known

## 13. SECTION 13: DISPOSAL CONSIDERATIONS

13.1	<b>Waste treatment methods</b>	Do not empty into drains; dispose of this material and its container in a safe way.
13.2	<b>Additional Information</b>	Dispose of contents in accordance with local, state or national legislation.

## 14. SECTION 14: TRANSPORT INFORMATION

14.1	UN number	3082
14.2	UN proper shipping name	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID, N.O.S., (NONYLPHENOL POLYETHYLENE GLYCOL ETHER)
14.3	Transport hazard class(es)	9
14.4	Packing group	III
14.5	Environmental hazards	Marine Pollutant



## 15. SECTION 15: REGULATORY INFORMATION

15.1	<b>EU regulations</b>	
	REACH Registration No.	Polymer exempt.
	Candidate List of Substances of Very High Concern for Authorisation	Polyethylene glycol mono (branched p-nonylphenyl) ether (CAS#127087-87-0) <b>45 – 55%</b> Octamethylcyclotetrasiloxane (CAS# 556-67-2) < 0.01% Decamethylcyclopentasiloxane (CAS# 541-02-6) < 0.01% Dodecamethylcyclohexasiloxane (CAS# 540-97-6) < 0.1% 1,4-Dioxane (CAS# 123-91-1) < 10 ppm Propylene Oxide (CAS# 75-56-9) < 1 ppm
	ANNEX XVII (restricted)	Polyethylene glycol mono (branched p-nonylphenyl) ether (CAS#127087-87-0)
	PIC (export restriction)	Polyethylene glycol mono (branched p-nonylphenyl) ether (CAS#127087-87-0)

### 15.2 International Inventories

Country	Listed	Not listed	Polymer exempt	Other
United States (TSCA)	Active✓			
Canada (DSL/NDSL)	DSL✓			
European Union (EINECS/ELINCS)			✓	
Australia (AICS)	✓			
China (IECSC)	✓			
Japan (ENCS)	✓		✓	
South Korea (KECI)	✓			
Taiwan (TCSI)	✓			
New Zealand (NZIoC)	✓			
Philippines (PICCS)	✓			

### 15.3 National regulations

United States (TSCA)

TSCA Inventory Status : All chemicals in this product comply with TSCA rules and regulations including TSCA Section 5 (Inventory Rules).

HMIS (Hazardous Material Information System)  
NFPA Rating

**H = 2 / F = 1 / R = 0**  
**H = 2 / F = 1 / R = 0**

### 15.4 US State Regulations

**15.4.1** SUBSTANCES KNOWN TO THE STATE OF CALIFORNIA TO CAUSE BIRTH DEFECTS OR OTHER REPRODUCTIVE HARM

Specific Listing(s) not required

Possible trace amounts of:

**Ethylene Oxide (CAS# 75-21-8) < 10 ppm**

**15.4.2** SUBSTANCES KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER

Specific Listing(s) not required

Possible trace amounts of:

**Ethylene Oxide (CAS# 75-21-8) < 10 ppm**

**1,4-Dioxane (CAS# 123-91-1) < 10 ppm**

**Propylene Oxide (CAS# 75-56-9) < 1 ppm**

**15.4.3** State Right to Know Lists

Specific Listing(s) not required

Possible trace amounts of:

**Octamethylcyclotetrasiloxane (CAS# 556-67-2) < 0.01%**

**Ethylene Oxide (CAS# 75-21-8) < 10 ppm**

**1,4-Dioxane (CAS# 123-91-1) < 10 ppm**

**Propylene Oxide (CAS# 75-56-9) < 1 ppm**

## 16. SECTION 16: OTHER INFORMATION

Revision: **April 19, 2023**

### LEGEND

LTEL	Long Term Exposure Limit
STEL	Short Term Exposure Limit
STOT	Specific Target Organ Toxicity
DNEL	Derived No Effect Level
PNEC	Predicted No Effect Concentration
PBT	Persistent, Bioaccumulative and Toxic
vPvB	very Persistent and very Bioaccumulative

### Hazard statement(s) and Precautionary statement(s)

H302+H332: Harmful if swallowed or if inhaled

H315: Causes skin irritation.

H318: Causes serious eye damage.

H400: Very toxic to aquatic life.

H410: Very toxic to aquatic life with long lasting effects.

P261: Avoid breathing dust/fume/gas/mist/vapours/spray.

P264: Wash hands and exposed skin thoroughly after handling.

P270: Do not eat, drink or smoke when using this product.

P271: Use only outdoors or in a well-ventilated area.

P273: Avoid release to the environment.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P301+P312: IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

P302+P352: IF ON SKIN: Wash with plenty of water.

P332+P313: If skin irritation occurs: Get medical advice/attention.

P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P304+P312: IF INHALED: Call a POISON CENTER or doctor/physician if you feel unwell.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P403+P233: Store in a well-ventilated place. Keep container tightly closed.

P501: Dispose of contents/container to: Observe Local Regulations.

**Hazard pictogram(s) and Hazard Symbol**



**Additional Information**

**Disclaimers**

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Siltech Corp. gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Siltech Corp. accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.