




SAFETY DATA SHEET

WHMIS 2015 • OSHA HCS (29 CFR 1910.1200) • NOM-018-STPS-2015

1. SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier	
Product Name	Siltech C-173
Product code	2860.1
Chemical Name	Mixture
CAS No.	68937-55-3 / 111-76-2
1.2 Recommended use of the chemical and restrictions on use	
Identified use(s)	Coatings
Uses advised against	None known
1.3 Details of the supplier of the Safety Data Sheet	
Company Identification	Siltech Corp 225 Wicksteed Ave Toronto, ON Canada M4H 1G5
Telephone	+1-416-424-4567
Fax	+1-416-424-3158
E-Mail (competent person)	raj@siltech.com
Additional Location	Siltech Corp 3265 Wolfedale Road, Mississauga ON Canada L5C 1V8
Telephone	+1-905-270-5534
Fax	+1-905-270-5816
1.4 Emergency telephone number	
Emergency Phone No.	CANUTECH - TELEPHONE: EMERGENCY USE ONLY +1-613-996-6666

2. SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture	
	Flammable Liquid Category 4 Acute Tox. 4 – Oral Acute Tox. 4 – Inhalation Acute Tox. 4 – Dermal Skin Irrit. 2 Eye Irrit. 2
2.2 Label elements	
Product Name	Siltech C-173
Symbol	
Signal word(s)	WARNING
Hazard statement(s)	H227: Combustible liquid. H302+H312+H332: Harmful if swallowed, in contact with skin or if inhaled H315: Causes skin irritation. H319: Causes serious eye irritation.
Precautionary statement(s)	P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P261: Avoid breathing dust/fume/gas/mist/vapours/spray. P264: Wash hands and exposed skin thoroughly after handling. P270: Do not eat, drink or smoke when using this product. P271: Use only outdoors or in a well-ventilated area. P280: Wear protective gloves/protective clothing/eye

protection/face protection.
P301+P312: IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.
P302+P352: IF ON SKIN: Wash with plenty of water.
P332+P313: If skin irritation occurs: Get medical advice/attention.
P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.
P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P337+P313: If eye irritation persists: Get medical advice/attention.
P403+P235: Store in a well-ventilated place. Keep cool.
P501: Dispose of contents/container to: Observe Local Regulations.
None known

2.3 Other hazards

3. SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Mixtures

Hazardous ingredient(s)	Synonym(s)	%W/W	CAS No.	EC No.	Hazard pictogram(s) and Hazard statement(s)
2-butoxyethanol	Glycol ether EB	40 - 60	111-76-2	203-905-0	GHS07 : H227, H302, H312, H332 H315, H319

4. SECTION 4: FIRST AID MEASURES



4.1 Description of first aid measures

Inhalation IF INHALED: Remove person to fresh air and keep comfortable for breathing. If signs/symptoms continue, get medical attention.
Skin Contact IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water/shower. If skin irritation or rash occurs: Get medical advice/attention.
Eye Contact IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. If eye irritation persists: Get medical advice/attention.
Ingestion If swallowed, seek medical advice immediately and show this container or label. Do NOT induce vomiting.

4.2 Most important symptoms and effects, both acute and delayed May cause irritation to skin, eyes and respiratory system.

4.3 Indication of any immediate medical attention and special treatment needed Treat symptomatically.

5. SECTION 5: FIRE-FIGHTING MEASURES

5.1 Extinguishing Media

Suitable Extinguishing Media In case of fire, use water spray, foam, dry powder or CO2 for extinction. Keep containers cool by spraying with water if exposed to fire.
Unsuitable Extinguishing Media None known

5.2 Special hazards arising from the substance or mixture Silicon Dioxide, carbon oxides, incompletely burned carbon compounds, formaldehyde.

5.3 Advice for fire-fighters A self contained breathing apparatus and suitable protective clothing should be worn in fire conditions.

6. SECTION 6: ACCIDENTAL RELEASE MEASURES

- 6.1 Personal precautions, protective equipment and emergency procedures** Avoid contact with skin, eyes or clothing. Use personal protective equipment as required.
- 6.2 Environmental precautions** Avoid release to the environment.
- 6.3 Methods and material for containment and cleaning up** Caution - spillages may be slippery. Cover spills with inert absorbent material. Transfer to a container for disposal.
- 6.4 Reference to other sections** See Section: 7 & 8.





7. SECTION 7: HANDLING AND STORAGE

- 7.1 Precautions for safe handling** Avoid contact with skin and eyes. Avoid ingestion. Use only with sufficient ventilation. Wash thoroughly after handling. General hygiene measures for the handling of chemicals are applicable. Ground/bond container and receiving equipment.
- 7.2 Conditions for safe storage, including any incompatibilities** Store in a tightly closed container. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
- Storage Temperature: Ambient
Storage Life: Stable under normal conditions.
Incompatible materials: Oxidizing agents,
- 7.3 Specific end use(s)** Industrial use

8. SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

- 8.1 Control parameters**
8.1.1 Occupational Exposure Limits

SUBSTANCE	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m ³)	STEL (ppm)	STEL (mg/m ³)	Note
2-Butoxyethanol	111-76-2	20	240			Can be absorbed through skin.

- 8.1.2 Biological limit value** Not established
- 8.1.3 PNECs and DNELs** Not established
- 8.2 Exposure controls**
- 8.2.1 Appropriate engineering controls** Provide adequate ventilation.
- 8.2.2 Personal protection equipment**
- Eye/face protection  Wear protective eyewear (goggles, face shield, or safety glasses).
- Skin protection (Hand protection/ Other)  Wear impervious gloves (EN374).
- Respiratory protection  In case of inadequate ventilation wear respiratory protection. In order to avoid the inhalation from spray and abrasive dust, all spray and grinding works must be carried out with suitable respirator.
- Thermal hazards  None.
- 8.2.3 Environmental Exposure Controls** Avoid release to the environment.

9. SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

- 9.1 Information on basic physical and chemical**

properties

Appearance	Colourless to yellowish liquid.
Odour	Faint.
Odour Threshold	Not available.
pH	Not available.
Melting Point/Freezing Point	Not available.
Initial boiling point and boiling range	>100°C @ 760mmHg
Flash point (PMCC)	67°C
Evaporation rate	Not available.
Flammability (solid, gas)	Not applicable.
Upper/lower flammability or explosive limits	Not available.
Vapour pressure	Not available.
Vapour density	Not available.
Relative density / Specific Gravity (25°C)	0.91
Solubility(ies)	Soluble in water.
Partition coefficient: n-octanol/water	Not available.
Auto-ignition temperature	Not available.
Decomposition Temperature	Not available.
Viscosity (25°C)	20 - 60 cps
Explosive properties	Not applicable.
Oxidising properties	Not applicable.

10. SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity	Stable under normal conditions.
10.2 Chemical stability	Stable under normal conditions.
10.3 Possibility of hazardous reactions	Will not occur.
10.4 Conditions to avoid	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
10.5 Incompatible materials	Oxidizing agents.
10.6 Hazardous Decomposition Product(s)	Silicon Dioxide, carbon oxides, incompletely burned carbon compounds, formaldehyde.

11. SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects	
Acute toxicity	
Ingestion	May be harmful if swallowed.
Inhalation	May be harmful if inhaled.
Skin Contact	May be harmful in contact with skin.
Eye Contact	Causes eye irritation.
Effects and Symptoms	
skin corrosion/irritation	Causes skin irritation.
Serious eye damage/irritation	Causes eye irritation.
Respiratory or skin sensitization	Not classified
Germ cell mutagenicity	Not classified
Carcinogenicity	Not classified
Reproductive toxicity	Not classified
STOT - single exposure	Not classified
STOT - repeated exposure	Not classified
Aspiration hazard	Not classified
Delayed and chronic effects	Not available
Calculated acute toxicity estimate (ATE)	Not available

12. SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity	Not available.
12.2 Persistence and degradability	Not available.
12.3 Bioaccumulative potential	Not available.
12.4 Mobility in soil	Not available.

- 12.5 **Results of PBT and VPVB assessment** Not available.
12.6 **Other adverse effects** None known

13. SECTION 13: DISPOSAL CONSIDERATIONS

- 13.1 **Waste treatment methods** Do not empty into drains; dispose of this material and its container in a safe way.
13.2 **Additional Information** Dispose of contents in accordance with local, state or national legislation.

14. SECTION 14: TRANSPORT INFORMATION

- 14.1 Air (ICAO/IATA) Not classified as hazardous for air transport.
14.2 Sea (IMDG) Not classified as hazardous for marine transport.
14.3 **TDG / Road/Rail (ADR/RID)** Not classified as hazardous for transport.
14.4 DOT / CFR (US Department of Transportation) **(Applicable only to containers > 119 gallons or 450L)**
UN number 1993
DOT Proper Shipping Name Combustible liquid, N.O.S. (2-Butoxyethanol Solution)
Class 3 Packing group III

15. SECTION 15: REGULATORY INFORMATION

- 15.1 **EU regulations**
REACH Registration No. Polymer exempt / Not available
Candidate List of Substances of Very High Concern for Authorisation Possible trace amounts of: < 0.1%
Octamethylcyclotetrasiloxane (CAS# 556-67-2)
Decamethylcyclopentasiloxane (CAS# 541-02-6)
Dodecamethylcyclohexasiloxane (CAS# 540-97-6)

15.2 **International Inventories**

Country	Listed	Not listed	Polymer exempt	Other
United States (TSCA)	✓			
Canada (DSL/NDSL)	NDSL✓			
European Union (EINECS/ELINCS)	✓		✓	
Australia (AICS)	✓			
China (IECSC)	✓			
Japan (ENCS)	✓			
South Korea (KECI)	✓			
Taiwan (TCSI)	✓			
New Zealand (NZIoC)	✓			
Philippines (PICCS)	✓			

- 15.3 **National regulations**
United States (TSCA) TSCA Inventory Status : All chemicals in this product comply with TSCA rules and regulations including TSCA Section 5 (Inventory Rules).
HMIS (Hazardous Material Information System) **H = 2 / F = 2 / R = 0**
NFPA Rating **H = 2 / F = 2 / R = 0**
15.4 **US State Regulations**
15.5.1 SUBSTANCES KNOWN TO THE STATE OF CALIFORNIA TO CAUSE BIRTH DEFECTS OR OTHER REPRODUCTIVE HARM Specific Listing(s) not required
Possible trace amounts of:
Ethylene Oxide (CAS# 75-21-8) < 3 ppm
15.5.2 SUBSTANCES KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER Specific Listing(s) not required
Possible trace amounts of:
Ethylene Oxide (CAS# 75-21-8) < 3 ppm

Propylene Oxide (CAS# 75-56-9) < 3 ppm
1,4-Dioxane (CAS# 123-91-1) < 3 ppm

15.5.3 State Right to Know Lists

2-Butoxyethanol (CAS# 111-76-2) 40 – 60%
Specific Listing(s) not required

Possible trace amounts of:

Octamethylcyclotetrasiloxane (CAS# 556-67-2) < 0.1%

Ethylene Oxide (CAS# 75-21-8) < 3 ppm

Propylene Oxide (CAS# 75-56-9) < 3 ppm

1,4-Dioxane (CAS# 123-91-1) < 3 ppm

16. SECTION 16: OTHER INFORMATION

Revision: **January 03, 2020**

LEGEND

LTEL	Long Term Exposure Limit
STEL	Short Term Exposure Limit
STOT	Specific Target Organ Toxicity
DNEL	Derived No Effect Level
PNEC	Predicted No Effect Concentration
PBT	Persistent, Bioaccumulative and Toxic
vPvB	very Persistent and very Bioaccumulative

Hazard statement(s) and Precautionary statement(s)

H227: Combustible liquid.

H302+H312+H332: Harmful if swallowed, in contact with skin or if inhaled

H315: Causes skin irritation.

H319: Causes serious eye irritation.

P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P261: Avoid breathing dust/fume/gas/mist/vapours/spray.

P264: Wash hands and exposed skin thoroughly after handling.

P270: Do not eat, drink or smoke when using this product.

P271: Use only outdoors or in a well-ventilated area.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P301+P312: IF SWALLOWED: Call a POISON CENTER/doctor if you feel unwell.

P302+P352: IF ON SKIN: Wash with plenty of water.

P332+P313: If skin irritation occurs: Get medical advice/attention.

P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337+P313: If eye irritation persists: Get medical advice/attention.

P403+P235: Store in a well-ventilated place. Keep cool.

P501: Dispose of contents/container to: Observe Local Regulations.

Hazard pictogram(s) and Hazard Symbol



GHS07

Additional Information

Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Siltech Corp. gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Siltech Corp. accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.