




SAFETY DATA SHEET

WHMIS 2015 • OSHA HCS (29 CFR 1910.1200) • NOM-018-STPS-2015

1. SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1 Product identifier	
Product Name	Silmer Q30
Product code	7050.93
Chemical Name	Silicic acid, sodium salt, reaction products with chlorotrimethylsilane and iso-Pr alc.
CAS No.	68988-56-7
Alternative names (INCI)	Trimethylsiloxysilicate
1.2 Recommended use of the chemical and restrictions on use	
Identified use(s)	PC39 Cosmetics, personal care products PC19 Intermediate, Additive
Uses advised against	None known
1.3 Details of the supplier of the Safety Data Sheet	
Company Identification	Siltech Corp 225 Wicksteed Ave Toronto, ON Canada M4H 1G5
Telephone	+1-416-424-4567
Fax	+1-416-424-3158
E-Mail (competent person)	marsha.carter@siltech.com
Additional Location	Siltech Corp 3265 Wolfedale Road, Mississauga ON Canada L5C 1V8
Telephone	+1-905-270-5534
Fax	+1-905-270-5816
1.4 Emergency telephone number	
Emergency Phone No.	CANUTEC - TELEPHONE: EMERGENCY USE ONLY +1-613-996-6666

2. SECTION 2: HAZARDS IDENTIFICATION

2.1 Classification of the substance or mixture	Flam. Liq. 3
2.2 Label elements	
Product Name	Silmer Q30
Symbol	
Signal word(s)	DANGER
Hazard statement(s)	H226: Flammable liquid and vapour.
Precautionary statement(s)	P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. P240: Ground and bond container and receiving equipment. P241: Use explosion-proof electrical/ventilating/lighting/equipment. P242: Use only non-sparking tools. P243: Take precautionary measures against static discharge. P280: Wear protective gloves/protective clothing/eye protection/face protection. P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower. P403+P235: Store in a well-ventilated place. Keep cool.

P501: Dispose of contents/container to: Observe Local Regulations.

2.3 Other hazards

May form explosive mixtures with air.

3. SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1 Substances

Hazardous ingredient(s)	Synonym(s)	%W/W	CAS No.	EC No.	Hazard pictogram(s) and Hazard statement(s)
Silicic acid, sodium salt, reaction products with chlorotrimethylsilane and iso-Pr alc.	Trimethylsiloxy silicate	> 95	68988-56-7	273-530-5	GHS02 : H226

4. SECTION 4: FIRST AID MEASURES



4.1 Description of first aid measures

Inhalation
Skin Contact

Eye Contact

Ingestion

Remove person to fresh air and keep comfortable for breathing.
IF ON SKIN (or hair): Remove/take off immediately all contaminated clothing. Rinse skin with water/shower.
If substance has got into the eyes, immediately wash out with plenty of water for several minutes.
If swallowed, seek medical advice immediately and show this container or label.

4.2 Most important symptoms and effects, both acute and delayed

Not available.

4.3 Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

5. SECTION 5: FIRE-FIGHTING MEASURES

5.1 Extinguishing Media

Suitable Extinguishing Media

In case of fire, use water spray, foam, dry powder or CO2 for extinction. Keep containers cool by spraying with water if exposed to fire.

Unsuitable Extinguishing Media

None known

5.2 Special hazards arising from the substance or mixture

Silicon Dioxide, carbon oxides, incompletely burned carbon compounds, formaldehyde.

5.3 Advice for fire-fighters

A self contained breathing apparatus and suitable protective clothing should be worn in fire conditions.

6. SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1 Personal precautions, protective equipment and emergency procedures

Avoid contact with skin, eyes or clothing. Use personal protective equipment as required. Eliminate sources of ignition.

6.2 Environmental precautions

Avoid release to the environment.

6.3 Methods and material for containment and cleaning up

Caution - spillages may be slippery. Cover spills with inert absorbent material. Transfer to a container for disposal.

6.4 Reference to other sections

See Section: 7 & 8.

7. SECTION 7: HANDLING AND STORAGE

7.1 Precautions for safe handling





Avoid contact with skin and eyes. Avoid ingestion. Use only with sufficient ventilation. Ground/bond container and receiving equipment. Wash thoroughly after handling. General hygiene measures for the handling of chemicals are

- 7.2 Conditions for safe storage, including any incompatibilities**
- Storage Temperature: applicable.
Storage Life: Store in a tightly closed container. Keep away from heat, hot surfaces, sparks, open flames and other ignition sources.
Incompatible materials: No smoking.
Ambient
- 7.3 Specific end use(s)**
- Stable under normal conditions.
Oxidizing agents
Industrial use

8. SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

- 8.1 Control parameters**
8.1.1 Occupational Exposure Limits

SUBSTANCE	CAS No.	LTEL (8 hr TWA ppm)	LTEL (8 hr TWA mg/m ³)	STEL (ppm)	STEL (mg/m ³)	Note
None assigned						

- 8.1.2 Biological limit value** Not established
- 8.1.3 PNECs and DNELs** Not established
- 8.2 Exposure controls**
- 8.2.1 Appropriate engineering controls** Provide adequate ventilation.
- 8.2.2 Personal protection equipment**
- Eye/face protection
 Wear protective eyewear (goggles, face shield, or safety glasses).
- Skin protection (Hand protection/ Other)
 Wear suitable gloves if prolonged skin contact is likely.
- Respiratory protection
 In case of inadequate ventilation wear respiratory protection.
- Thermal hazards
 Flammable liquid
- 8.2.3 Environmental Exposure Controls** Avoid release to the environment.

9. SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

- 9.1 Information on basic physical and chemical properties**
- Appearance: Colourless liquid.
 Odour: Characteristic odour.
 Odour Threshold: Not available.
 pH: Not available.
 Melting Point/Freezing Point: Not available.
 Initial boiling point and boiling range: >100°C @ 760mmHg
 Flash point (PMCC): 51.7 °C
 Evaporation rate: Not available.
 Flammability (solid, gas): Not applicable.
 Upper/lower flammability or explosive limits: Not available.
 Vapour pressure: Not available.
 Vapour density: Not available.
 Relative density / Specific Gravity (25°C): 0.98

Solubility(ies)	Insoluble in water.
Partition coefficient: n-octanol/water	Not available.
Auto-ignition temperature	Not available.
Decomposition Temperature	Not available.
Viscosity (25°C)	200 - 300 cps
Explosive properties	Not applicable.
Oxidising properties	Not applicable.

10. SECTION 10: STABILITY AND REACTIVITY

10.1 Reactivity	Stable under normal conditions.
10.2 Chemical stability	Stable under normal conditions.
10.3 Possibility of hazardous reactions	Will not occur.
10.4 Conditions to avoid	Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.
10.5 Incompatible materials	Oxidizing agents.
10.6 Hazardous Decomposition Product(s)	Silicon Dioxide, carbon oxides, incompletely burned carbon compounds, formaldehyde.

11. SECTION 11: TOXICOLOGICAL INFORMATION

11.1 Information on toxicological effects	
Acute toxicity	
Ingestion	May be harmful if swallowed.
Inhalation	Low toxicity under normal conditions of handling and use.
Skin Contact	May cause irritation.
Eye Contact	May cause irritation.
Effects and Symptoms	
skin corrosion/irritation	Repeated and/or prolonged skin contact may cause irritation.
Serious eye damage/irritation	Not classified
Respiratory or skin sensitization	Not classified
Germ cell mutagenicity	Not classified
Carcinogenicity	Not classified
Reproductive toxicity	Not classified
STOT - single exposure	Not classified
STOT - repeated exposure	Not classified
Aspiration hazard	Not classified
Delayed and chronic effects	Not available
Calculated acute toxicity estimate (ATE)	Not available

12. SECTION 12: ECOLOGICAL INFORMATION

12.1 Toxicity	Not available.
12.2 Persistence and degradability	Not available.
12.3 Bioaccumulative potential	Not available.
12.4 Mobility in soil	Not available.
12.5 Results of PBT and VPVB assessment	Not available.
12.6 Other adverse effects	None known

13. SECTION 13: DISPOSAL CONSIDERATIONS

13.1 Waste treatment methods	Do not empty into drains; dispose of this material and its container in a safe way.
13.2 Additional Information	Dispose of contents in accordance with local, state or national legislation.

14. SECTION 14: TRANSPORT INFORMATION

14.1	UN number	1993
14.2	UN proper shipping name	FLAMMABLE LIQUIDS N.O.S. (Trimethylsiloxysilicate)
14.3	Transport hazard class(es)	3
14.4	Packing group	III

15. SECTION 15: REGULATORY INFORMATION

15.1 EU regulations

REACH Registration No. Polymer exempt.

Candidate List of Substances of Very High Concern for Authorisation None known.

15.2 International Inventories

Country	Listed	Not listed	Polymer exempt	Other
United States (TSCA)	Active✓			
Canada (DSL/NDL)	DSL✓			
European Union (EINECS/ELINCS)	✓		✓	
Australia (AICS)	✓			
China (IECSC)	✓			
Japan (ENCS)			✓	
South Korea (KECI)	✓			
Taiwan (TCSI)	✓			
New Zealand (NZIoC)	✓			
Philippines (PICCS)	✓			

15.3 National regulations

United States (TSCA)

TSCA Inventory Status : All chemicals in this product comply with TSCA rules and regulations including TSCA Section 5 (Inventory Rules).

HMIS (Hazardous Material Information System)

H = 1 / F = 2 / R = 0

NFPA Rating

H = 1 / F = 2 / R = 0

15.4 US State Regulations

15.4.1 SUBSTANCES KNOWN TO THE STATE OF CALIFORNIA TO CAUSE BIRTH DEFECTS OR OTHER REPRODUCTIVE HARM None known.

15.4.2 SUBSTANCES KNOWN TO THE STATE OF CALIFORNIA TO CAUSE CANCER None known.

15.4.3 State Right to Know Lists None known.

16. SECTION 16: OTHER INFORMATION

Revision: May 08, 2023

LEGEND

LTEL	Long Term Exposure Limit
STEL	Short Term Exposure Limit
STOT	Specific Target Organ Toxicity
DNEL	Derived No Effect Level
PNEC	Predicted No Effect Concentration
PBT	Persistent, Bioaccumulative and Toxic
vPvB	very Persistent and very Bioaccumulative

Hazard statement(s) and Precautionary statement(s)

H226: Flammable liquid and vapour.

P210: Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking.

P240: Ground and bond container and receiving equipment.

P241: Use explosion-proof electrical/ventilating/lighting/equipment.

P242: Use only non-sparking tools.

P243: Take precautionary measures against static discharge.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353: IF ON SKIN (or hair): Take off immediately all contaminated clothing. Rinse skin with water or shower.

P403+P235: Store in a well-ventilated place. Keep cool.

P501: Dispose of contents/container to: Observe Local Regulations.

Hazard pictogram(s) and Hazard Symbol



GHS02

Additional Information

Disclaimers

Information contained in this publication or as otherwise supplied to Users is believed to be accurate and is given in good faith, but it is for the Users to satisfy themselves of the suitability of the product for their own particular purpose. Siltech Corp. gives no warranty as to the fitness of the product for any particular purpose and any implied warranty or condition (statutory or otherwise) is excluded except to the extent that exclusion is prevented by law. Siltech Corp. accepts no liability for loss or damage (other than that arising from death or personal injury caused by defective product, if proved), resulting from reliance on this information. Freedom under Patents, Copyright and Designs cannot be assumed.